

# INTERACTIVE FLAT PANEL

## Education IFP RP6501K Panel

---

Screen Size	65"
-------------	-----

---

Backlight / Lightsource	DLED
-------------------------	------

---

Resolution (pixels)	UHD 3840x2160
---------------------	---------------

---

Brightness (Typical) (nits)	450
--------------------------------	-----

---

Contrast Ratio (Typical)	1,200:1
--------------------------	---------

---

Viewing Angle (Horizontal / Vertical)	178° / 178°
------------------------------------------	-------------

---

Response Time (ms) 6

---

Color Gamut (x% NTSC) [Features](#) [Specs](#) [Downloads](#)  
65%

---

Panel Bit (bit) 10

---

Light Life (Typical) (hours) 30,000

---

Display Orientation Landscape

Power

---

Voltage 100V-240V, 50/60Hz

---

Typical (watt) 130

Touch

---

Touch Technology IR Touch

---

Numbers of Touch Up to 20 Point Multi-touch

---

Resolution (Points Area Function) 32,767\*32,767

Features Specs Downloads

---

Touch Interface x2 (USB type B)

---

OS Supported Win 7, Win 8/8.1, Win 10 / Mac OS X10.11~10.12 / Chrome OS 58 / Ubuntu 16.04 / Fedora 28 / OpenSuse 15 / Android kernel version 3.10 or above

Glass

---

Tempered Glass 4mm, Tempered Glass

---

Anti-Glare (AG) Coating Yes

---

Germ-Resistant Screen Yes

Audio

---

Internal Speaker 16Wx2

---

Internal Microphone x4

---

Audio In x1

---

MIC	x1
-----	----

---

	<a href="#">Features</a>	<a href="#">Specs</a>	<a href="#">Downloads</a>
--	--------------------------	-----------------------	---------------------------

---

Audio In	x1
----------	----

---

SPDIF	N/A
-------	-----

I/O

---

Power (AC) Input	x1
------------------	----

---

Power Switch	x1
--------------	----

---

VGA Input	x1
-----------	----

---

HDMI Input	x3 (2.0)
------------	----------

---

HDMI Output	x1
-------------	----

---

Display Port	x1
--------------	----

---

OPS Slot	x1
----------	----

---

USB Player (Photo, Video) x6 (2.0x5, 3.0x1)

[Features](#) [Specs](#) [Downloads](#)

## Control

---

RS232 Input x1

---

RJ45 Port x1

---

Firmware Update USB / OTA

## Mechanical

---

Weight (Without / With Packing) (kg) 50.0 / 62.0

---

Dimension (WxHxD) (mm) 1521.1 x 967.1 x 136.1

---

Wall Mounting (VESA) (mm) 4 holes (500 x 400mm)  
Screw M6 x 14mm

---

Handle x2

---

Pen Tray x1

---

NFC Reader / Writer      x1

## OSD

[Features](#)   [Specs](#)   [Downloads](#)

---

On-Screen Display Languages      English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korean (25L)

## Package / Accessory

---

Remote Controller      x1

---

Power Cord (By Region)      x 7

---

VGA Cable      x1 (1.5m)

---

HDMI Cable      x1 (1.5m)

---

Quick Start Guide      x1

---

User's Manual Electronic File      x1

---

USB Cable for Touch	x1 (3m)
---------------------	---------

	Features	Specs	Downloads
Touch Pen (Stylus)	x2		

---

## Optional

---

Wall Mount	Yes
------------	-----

---

Trolley	Yes
---------	-----

---

USB Wi-Fi Dongle	Yes
------------------	-----

## Need Help?

We are here for you. Anytime you need it.

### Contact Us

Have inquiries or suggestions for us? We would love to hear from you.

[Contact us now](#)

---

## View Our FAQs

All commonly asked questions are answered here.

[Go to FAQs](#)   [Features](#)   [Specs](#)   [Downloads](#)

---

## Downloads

Find our latest apps, brochures, manuals, software and more.

[Go to Downloads](#)