

DRINK

HOT		COLD	
ITEM	PRICE	ITEM	PRICE
COFFEE	2.00	ICED COFFEE	3.25
FRENCH PRESS	2.75	ICED TEA	2.75
AMERICANO	2.50	ICED LATTE	3.75
ESPRESSO	1.50	ICED FLAVORED LATTE	4.25
MACCHIATO	2.75	ICED CHAI LATTE	4.50
CAFFUCCINO	3.25	ICED MOCHA	4.50
LATTE	3.25	FRAPPE	4.50
FLAVORED LATTE	3.75	FRESH SMOOTHIE	4.00
MOCHA	4.00		
TEA	2.50		
HOT COCOA	2.50		

EAT


PASTRY	
ITEM	PRICE
SCONE	1.00
CROISSANT	2.75
BAGEL	2.50
MUFFIN	1.00

BREAD	
ITEM	PRICE
ASIAGO DEMI	2.25
BAGETTE	3.00
MULTI GRAIN LOAF	3.00
CHALLAH	4.25
CHOCOLATE IDAF	4.00







LWM2x1U
2x1 Mount, Landscape



LWM2x1UP
2x1 Mount, Portrait



LWM3x1U
3x1 Mount, Landscape



LWM3x1UP
3x1 Mount, Portrait



LWM4x1U
4x1 Mount, Landscape



LWM5x1U
5x1 Mount, Landscape

Model	Configuration	Extrusion Length	Weight Capacity (per screen)	Mounting Pattern	Depth Adjust Range
LWM2x1U	2x1 Landscape	72" (183 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)
LWM2x1UP	2x1 Portrait	46" (117 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)
LWM3x1U	3x2 Landscape	108" (274 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)
LWM3x1UP	3x1 Portrait	68" (173 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)
LWM4x1U	4x1 Landscape	156" (396 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)
LWM5x1U	5x1 Landscape	192" (488 cm)	125 lbs (56.7 kg)	any width x 100-400 mm	5.8-6.8" (147-173 mm)

ACCESSORIES

A full line of supporting accessories can be integrated to customize any installation, and many accessories work across the Fusion wall, ceiling and freestanding mounts.



FCA800/FCA801		Compatibility
Above/Below Shelf, Large* Displays		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Width	Weight Capacity
FCA800	8" (203 mm)	10 lbs (4.5 kg)
FCA801	14" (355 mm)	10 lbs (4.5 kg)

*Typical screen size: 46-70".



FCA800V/FCA800VE		Compatibility
ViewShare Video Conferencing Kit, Large Displays		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Camera Position	CAT5 Extender
FCA800V	Above/Below	No
FCA800VE	Above/Below	Yes



FCA810/FCA811		Compatibility
Above/Below Shelf, XL* Displays		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Width	Weight Capacity
FCA810	8" (203 mm)	10 lbs (4.5 kg)
FCA811	14" (355 mm)	10 lbs (4.5 kg)

*Typical screen size: 70-100".



FCA810V/FCA810VE		Compatibility
ViewShare Video Conferencing Kit, XL Displays		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Camera Position	CAT5 Extender
FCA810V	Above/Below	No
FCA810VE	Above/Below	Yes



FCA820/FCA821		Compatibility
Video Conference Camera Shelves - Center		All Fusion Series Mounts (except single stud wall)
Model	Dimensions (WxD)	Weight Capacity
FCA820	8 x 10.6" (203 x 269 mm)	10 lbs (4.5 kg)
FCA821	14 x 10.6" (355 x 269 mm)	10 lbs (4.5 kg)



FCA820V/FCA820VE		Compatibility
ViewShare Video Conferencing Kit		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Camera Position	CAT5 Extender
FCA820V	Center	No
FCA820VE	Center	Yes



FCA802/FCA812		Compatibility
Component Shelf, Large Displays		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Typical Screen Size	Weight Capacity
FCA802	46 - 70"	20 lbs (9.1 kg)
FCA812	70 - 100"	20 lbs (9.1 kg)



FCA1S	Weight Capacity	Compatibility
Single Stud Adapter	75 lbs (34 kg)	Medium Dual-Stud Fixed & Tilt Wall Mounts



FCA106	Compatibility
Side Cover Accessory	Fusion Dual-Stud Fixed & Tilt Wall Mounts



FCA830/FCA840		Compatibility
Center Channel Speaker Adapter		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Typical Screen Size	Weight Capacity
FCA830	52 – 80"	20 lbs (9.1 kg)
FCA840	70 – 100"+	20 lbs (9.1 kg)



PAC526F	Dimensions (HxWxD)	Compatibility
Large Multi-Depth Wall Box	14.25 x 14.25 x 3.9" (362 x 362 x 99 mm)	Standard & 2.5" (64 mm) depth studs
Model	Color	Power Receptacles
PAC526F	Black	NA
PAC526FW	White	NA
PAC526FBP2	Black	2
PAC526FWP2	White	2
PAC526FBP4	Black	4
PAC526FWP4	White	4
PAC526FBP6	Black	6
PAC526FWP6	White	6



FCA831/FCA841		Compatibility
Left/Right Speaker Adapter		Fusion Dual-Stud Fixed & Tilt Wall, Freestanding & Ceiling Mounts
Model	Typical Screen Size	Weight Capacity
FCA831	42 – 70"	10 lbs (4.5 kg)
FCA841	50 – 95"	10 lbs (4.5 kg)



NAXD82	Dimensions (HxWxD)
SurgeX® FlatPak surge protection / power conditioning	1.75 x 5.31 x 9.06" (44 x 135 x 230 mm)
<ul style="list-style-type: none"> • Load Rating: 8 amps @ 120 volts • Power Requirement (no load): 10 watts • Maximum Applied Pulse Voltage/Current: 6000 volts/unlimited, due to current limiting • Overvoltage Shutdown: 145 volts (resume at 135 volts) 	



FCA112	Equipment Depth Range	Compatibility
Secure CPU/Media Player Adapter	0 – 1.63" (0 – 41 mm)	Large & Extra Large Fusion Wall Mounts



FCK000/008/016		Compatibility
Connector Kits		Fusion Fixed & Tilt Wall Mounts
Model	Width	
FCK000	Adds zero length to the poles	
FCK008	8" (203 mm)	
FCK016	16" (406 mm)	



NAXD154/NAXD156		Dimensions (HxWxD)
SurgeX® MultiPak surge protection / power conditioning		1.79 x 8.15 x 7.27" (45 x 207 x 185 mm)
Model	Power Receptacles	
NAXD154	4	
NAXD156	6	
<ul style="list-style-type: none"> • Load Rating: 15 amps @ 120 volts • Voltage Protection Rating (VPR): 330V • Overvoltage Shutdown: Adjustable from 135V to 160V (restores at 130V) • Undervoltage Shutdown: Adjustable from 80V to 95V, or Disabled (restores at 105V) 		



PAC525F	Dimensions (HxWxD)	Compatibility
Small Multi-Depth Wall Box	9 x 14.25 x 3.9" (229 x 362 x 99 mm)	Standard & 2.5" (64 mm) depth studs
Model	Color	Power Receptacles
PAC525F	Black	NA
PAC525FW	White	NA
PAC525FBP2	Black	2
PAC525FWP2	White	2