ONKYO

TX-NR646 7.2-Channel Network A/V Receiver

BLACK SILVER



Home Cinema at the Cutting Edge

Experience the cutting edge of home cinema with the 7.2-channel TX-NR646 Network A/V Receiver, the first in its class to feature the revolutionary DTS:X[™] and Dolby Atmos[®] multi-dimensional audio formats. Onkyo's high-current amplification system drives your speakers to reproduce soundtracks with maximum impact and fidelity at 160 W/Ch. UltraHD video capability is equally impressive, with eight HDMI® terminals including dedicated HDCP 2.2 compatible inputs for premium 4K video content and two HDMI outputs for video in separate rooms. The TX-NR646's high-grade 384 kHz/32-bit AKM DAC not only brings movies to life, but your Hi-Res and streamed music as well. Conveniently stream music over built-in Wi-Fi®, Bluetooth, AirPlay, or internet music services including Spotify Connect and Deezer. Use the free Onkyo Remote app to stream audio stored on your mobile device, browse and select tracks from online services, and control playback in two zones. Plus, for fans of vinyl, the TX-NR646 has a phono equalizer input to connect a turntable.

HIGHLIGHTS

- DTS:X[™] Compatible
- Supports Dolby Atmos® up to 5.1.2 Channels
- I60 W per Channel
- Hi-Current Amp Design for Authentic Sound Reproduction • HDMI[®] 8 In / 2 Out Including I Front (4K UltraHD / HDCP 2.2)
- Bluetooth Audio / Wi-Fi® with Spotify and AirPlay
- DSD 5.6 MHz, FLAC 192 kHz/24-bit Hi-Res Audio Capable
- 384 kHz/32-bit Hi-Grade DAC
- AccuEQ Room Acoustic Calibration

ADVANCED FEATURES

- New DTS:X[™] New Generation Sound Format Ready
- Supports Dolby Atmos® Format for Exciting Multidimensional Sound
 4K/60 Hz-Capable 4:4:4 HDMI® Terminals for UltraHD Entertainment^a
- Supports HDCP 2.2 for Future 4K/Full HD Video Streaming and Broadcast⁸²
- Built-in Wi-Fi[®] Certified Wireless LAN Capability
- Bluetooth Version 2.1 + EDR Capability (Compatible Profile: A2DP v1.2, AVRCP v1.3) with Advanced Music Optimizer DSP Technology
- Internet Radio and Music Streaming Subscription Services Included (TuneIn Radio, Spotify, and Deezer)*3
- Playback Compressed, Lossless, and Hi-Res Audio via Local Network (MP3, WMA, WMA Lossless, FLAC, WAY, Ogg Vorbis, AAC, Apple Lossless, DS 5.6 MHz, LPCM⁴⁴, and Dolby⁶ TrueHD) Proprietary AccuEQ Room Calibration with Mic Included
- Advanced Music Optimizer to Improve Compressed Digital Audio

- Ouality (Bluetooth Audio Included)
- Control and Stream with Free Onkyo Remote Streaming Apps for iPod touch/iPhone*5 and Android[™] Devices*6
- PM Bass Boost for Deep Bass and Clear Mid-Range
- Powered Zone 2 and Zone 2 Line-Out for Distributed Audio Playback in Another Room

Bi-Amping Capability for Front Channels

AMPLIFIER FEATURES

- 160 W/Ch (6 $\Omega,$ 1 kHz, 1% THD, 1 Channel Driven, IEC); 175 W/Ch (6 $\Omega,$ 1 kHz, 1 Channel Driven, JEITA)
- WRAT (Wide Range Amplifier Technology)
- H.C.P.S. (High Current Power Supply) Massive High Power Transformer
- Discrete Output Stage Circuitry
- Optimum Gain Volume Circuitry
- PLL (Phase Locked Loop) Jitter-Cleaning Circuit Technology for S/PDIF Audio

PROCESSING FEATURES

- HDMI Support for 4K/60 Hz, 3D,Audio Return Channel, DeepColor[™], x.w.Color[™], LipSync, Dolby Atmos[®], Dolby[®] TrueHD, DTS:X[™], DTS-HD Master Audio[™], DVD-Audio, Super Audio CD, Multichannel PCM, and CEC
- Dolby[®] TrueHD and DTS-HD Master Audio[™] Decoding
- AK4458 384 kHz/32-bit DAC (8 Channels x I)
- Dual 32-bit Digital Signal Processing Engines
- 4 DSP Modes for Gaming: Rock, Sports, Action, and RPG
- Theater-Dimensional Virtual Surround Function

CinemaFILTER Direct Mode

- Double Bass Function
- Non-Scaling Configuration
- A-Form Listening Mode Memory

- 2 Component Inputs
- 3 Composite Video Inputs
- · 3 Digital Audio Inputs (2 Optical and I Coaxial)
- 8 Analog Audio Inputs
- Phono Input for Turntable Connection

- A/V Sync Control (Up to 500 ms in 10 ms Steps at 48 kHz)

- Tone Control (Bass/Treble)
- 3-Mode Display Dimmer (Normal/Dim/Dimmer)
- 40 FM/AM Random Presets
- Certified with DLNA Version 1.5
- Firmware Updates via Ethernet and USB
- RIHD (Remote Interactive Over HDMI) for System Control
- · Preprogrammed RI (Remote Interactive) Remote Control

CONNECTION FEATURES

- 8 HDMI Inputs (I Front/ 7 Rear) and 2 Outputs
- USB Port Mass Storage Class USB Memory Playback Capability

- 2 Parallel Subwoofer Pre-Outs
- Location Numbered Speaker Terminal

OTHER FEATURES

- Crossover Adjustment for Each Channel (40/50/60/70/80/90/100/120/150/200 Hz)
- Graphical Overlaid On-Screen Display (OSD) via HDMI with Quick Set-Up
- Hybrid Standby Function with HDMI Passthrough
- Smart Grid-Ready

TX-NR646 7.2-Channel Network A/V Receiver

DTS:X[™] Compatible

DTS:X is a next-generation object-based surround sound technology that includes height to deliver a fully-immersive listening experience to your living room. DTS:X provides listeners the ultimate in flexibility, immersion, dts🗮 and interactivity.

Supports Dolby Atmos® Up to 5.1.2 Channels

Dolby Atmos transports you from an ordinary moment into an extraordinary experience with captivating, multidimensional sound that fills your room and flows all around you to move your mind, body, and soul.



Hi-Current Amp Design for Authentic Sound Reproduction

High instantaneous current enhances speaker control for accurate and dynamic audio reproduction. It's the cornerstone of Onkyo's amplification philosophy.



HDMI® 8 In / 2 Out Including I Front (4K UltraHD / HDCP 2.2)

All HDMI terminals support 4K/60Hz, as well as HDCP 2.2 for next-generation UltraHD streaming and broadcasting.



Bluetooth Audio / Wi-Fi® with Spotify and AirPlay

Stream virtually any audio from your smartphone, tablet, or PC to your home cinema for clear and powerful sound. Available internet radio and music subscription services include Spotify and many more



+ tunein

DSD 5.6 MHz, FLAC 192 kHz/24-bit Hi-Res Audio Capable

Onkyo A/V receivers are engineered for universal Hi-Res compatibility and ease of use. Use the remote app to locate

Hi-Res

AUDIC

your 192/24 and 96/24 albums (including 5.6 MHz DSD playback) on PC or NAS and bask in the clarity, depth, and detail of high-resolution music.

384 kHz/32-bit Hi-Grade DAC


A premium-quality AK4458 digital-to-analog converter from Asahi Kasei unlocks the full potential of any audio format, thanks to unique low-distortion filtering technologies for clear sound.



SPECIEIC ATIONS

Amplifier Section	
Power Output	
All Channels	160 W/Ch (6 Ω, 1 kHz, 1% THD,
crammers	I Channel Driven, IEC)
	175 W/Ch
	(6 Ω, 1 kHz, 1 Channel Driven, JEITA)
Dynamic Power	240 W (3 Ω, Front)
Dynamie i offer	210 W (4 Ω, Front)
	120 W (8 Ω, Front)
THD+N (Total Harmon	ic Distortion + Noise) 0.08% (20 Hz-20 kHz, Half Power) 60 (Front, I kHz, 8 Ω)
••••••	0.08% (20 Hz–20 kHz, Half Power)
Damping Factor	60 (Front, 1 kHz, 8 Ω)
Input Sensitivity and Imp	bedance
	200 mV/47 k Ω (Line)
	3.5 mV/47 kΩ (Phono MM)
Rated RCA Output Leve	el and Impedance
	100 mV/2.2 kΩ (Zone 2 Line Out)
	200 mV/470 Ω (Subwoofer Pre Óut)
Maximum RCA Output	
	I.0 V/2.2 kΩ (Zone 2 Line Out)
	2.0 V/470 Ω (Subwoofer Pre Out)
Phono Overload	70 mV (MM, 1 kHz, 0.5%)
Frequency Response	10 Hz_100 kHz/+1 dB -3 dB (Direct Mode
Trace Control	10 Hz–100 kHz/+1 dB, -3 dB (Direct Mode ±10 dB, 20 Hz (Bass)
Tone Control	±10 dB 20 kHz (Bass)
Signal-to-Noise Ratio	±10 dB, 20 kHz (Treble)
	100 dB (Line, IHF-A)
	80 dB (Phono MM, IHF-A)
Speaker Impedance	4 or 6 Ω–16 Ω
Video Section	
Input Sensitivity/Output	Lovel and Impedance
Video	
VIGEO	1.0 Vp-p/75 Ω (Component Y) 0.7 Vp-p/75 Ω (Component PB/CB, PR/CR)
	$10 \text{ /r} = p/75 \Omega$ (Composite)
	I.0 Vp–p/75 Ω (Composite)
Component Video Frequ	
••••••	5 Hz–13.5 MHz/+0 dB, -3 dB
Tuner Section	
Tuning Frequency Range	
FM	87.5 MHz-108 MHz
	87.5 MHz–107.9 MHz (Taiwan Model)
AM	522 kHz–1,611 kHz
	530 kHz=1,710 kHz
	530 kHz–1,710 kHz 530 kHz–1,710 kHz (Taiwan Model)
FM/AM Preset Memory	530 kHz–1,710 kHz (Taiwan Model)
	530 kHz–1,710 kHz (Taiwan Model)
General	530 kHz-1,710 kHz (Taiwan Model) 40 Stations
General	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz
General Power Supply	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz AC 120 V~, 60 Hz (Taiwan Model)
Power Supply	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz AC 120 V~, 60 Hz (Taiwan Model)
General Power Supply Power Consumption	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W
General Power Supply Power Consumption No-Sound Power Consu	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W
General Power Supply Power Consumption No-Sound Power Consu	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V~, 50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V–,50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W ption ption
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum	530 kHz–1,710 kHz (Taiwan Model) 40 Stations AC 220–240V–,50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W ption ption
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum Dimensions (W x H x D	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V~,50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W umption 70 W ption 0,15 W) 435 × 1735 × 329 mm
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum Dimensions (W x H x D	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V-,50/60 Hz AC 120V-, 60 Hz (Taiwan Model) 630 W umption 70 W ption 0,15 W) 435 × 173.5 × 329 mm
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum Dimensions (W x H x D	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V-,50/60 Hz AC 120V-, 60 Hz (Taiwan Model) 630 W umption 70 W ption 0,15 W) 435 × 173.5 × 329 mm
General Power Supply Power Consumption No-Sound Power Consum Standby Power Consum Dimensions (W x H x E Weight CARTON	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V~, 50/60 Hz AC 120~, 60 Hz (Taiwan Model) 630 W amption 70 W ption 0.15 W 0, 15 W 0, 435 x 1735 x 329 mm 9,4 kg
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum Dimensions (W x H x E Weight CARTON Dimensions (W x H x E	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V~,50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W ption 0.15 W 9.4 kg 9.4 kg 0.570 × 287 × 423 mm
General Power Supply Power Consumption No-Sound Power Consum Standby Power Consum Dimensions (W x H x E Weight CARTON	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V~,50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W amption 70 W ption 0.15 W 9.4 kg 9.4 kg 0.570 × 287 × 423 mm
General Power Supply Power Consumption No-Sound Power Consu Standby Power Consum Dimensions (W x H x E Weight CARTON Dimensions (W x H x E	530 kHz=1,710 kHz (Taiwan Model) 40 Stations AC 220-240V~, 50/60 Hz AC 120V~, 60 Hz (Taiwan Model) 630 W mption 70 W ption 0.15 W 0, 435 × 173.5 × 329 mm 9, 4 kg 20, 570 × 287 × 423 mm 12.5 kg

Speaker set-up microphone
 Instruction n
 Remote controller
 AA (R6) batteries x 2



Lue to a policy of continuous product improvement, Onkyo reserves the right to change specifications and appearance without notice. Manufactured under license from DDb Laboratories. Dolby and the double-D symbol are trademarks of Dolby Laboratories. For DTS patents, see http://jatents.dts.com.Manufactured under license from DTS Licensing Limited DTS, DTS-HD, the Symbol & DTS and the Symbol together are registered trademarks and DTS-HD. Master Audio are trademarks of DTS, Inc. @ DTS, Inc. MI Rights Rearved-HDPM, the HDML logs, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDM License of HDML license of HDML license and HDM together are registered trademarks and Bogs are wored by the Bletender SIS (Inc. APR), Pad. Phone, and PdO touch are trademarks of Apple Inc. "Rights Rearved-HDML the HDML by the develope to meet Apple performance standards. Apple inc. "Pad. Phone, or iPad. respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Plase note that the use of this accessory with iPod, iPhone or iPad may affect wireless performance. AirPlay works with iPhone, iPad. and iPad to the with IOS X. Mountain Lion or later, and PC with iTunes 10.2.2 or later. WRAT, Music Optimizer, CinemaFLITER, and Theate-Dimensional are trademarks of Onkyo Corporation. All other trademarks are the property of their respective holders.

